

Cotton Touch 100g

Description

White woodfree printing paper. A 5% cotton mix gives great texture and unique features. Wet strength and fungicidal treatments.

Basis Weight 100 g/m²

Liner

BG45 white FSC is a supercalendered glassine paper.

Adhesive

A general purpose permanent, rubber based adhesive for the wine industry.

Performance Data

Min. Application Temp.: 5°C
Service Temperature: -30°C to 70°C

Adhesive Performance

The adhesive features excellent tack and adhesion on a wide variety of substrates, including apolar, and slightly rough substrates.

Shelf Life

To obtain optimal performance, use this product within two years of the date of manufacture, under storage conditions as defined by FINAT (20-25°C; 40-50%RH). Prolonged storage outside these conditions might reduce the shelf life.

Applications and Use

This product is designed for Wine labelling, it is suitable for primary labelling of high and premium goods e.g.: spirits, specialist foods. Due to the stiffness of the paper, internal winding is not recommended.

These results are based on tests carried out by our suppliers and our own experience. Etiqueta.es cannot give any guarantee for the optimal adhesion of the materials. Etiqueta.es assumes that the customer checks the suitability of the materials, meets his needs and decides for the right material that meets his requirements. The labels should be stored in a dryplace, at an ambient temperature of between 20° - 24 °C and protected from the effects of the weather, such as sun, rain or snow. The adhesive reacts very quickly, especially to the effects of weathering.



Due to its weight, the material may not adhere perfectly to small containers (e.g. small vessels and jars)

QUESTIONS? WE'RE HERE TO HELP!



+34 932 71 64 00



info@etiqueta.es



The colour of the material shown may vary. Therefore, we recommend that you order our free online sample book at etiqueta.es/muestrario/ to get a better understanding of the effects and different textures.

Order free of charge:



SAMPLE BOOK